

Safety Data Sheet:

Revision Date: 11/22/19

Technical Service
(888)780-3229 (Option 2)



Corro Crete Filler Part C

1. Product and Company Identification

Product Name: Corro Crete Filler
Product Class: Blended aggregates and Cement, Part C
Product Type: Component of a 3 Component Coating for Industrial Use

D.O.T. Category: Not Regulated
Manufacturer: Corroshield Industries Inc.
2575 United Lane
Elk Grove Village, IL 60007
847/298-7770
1-800/535-5053 INFOTRAC

Telephone:
Emergency:

2. Hazards Identification

Hazard-Risk Classification

Carcinogenicity: Category 1A
STOT, single exposure: Category 1
STOT, single exposure: Category 3, RTI
Skin Corrosion: Category 1
Skin Sensitizer: Category 1

Label elements including precautionary statements

Hazard Pictograms/Symbols:



Signal Word: Danger

Named Chemicals on Label: Calcium hydroxide, quartz (silicon dioxide), Portland cement

Hazard-Risk Statements:

Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
STOT, single exposure, category 3, RTI	H335	May cause respiratory irritation.
Carcinogenicity, category 1A	H350-1A	May cause cancer.
STOT, single exposure, category 1	H370	Causes damage to organs.

Precautionary Statements:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/ face protection.
P284	Wear respiratory protection.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+352	IF ON SKIN: Wash with plenty of soap and water.

P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P307+311	IF exposed, call a POISON CENTER or doctor/physician.
P308+313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.

Other Hazards: No information.
Results of PBT and vPvB assessment: The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information on Ingredients

CAS-No.	Chemical Name	%
14808-60-7	quartz (silicon dioxide)	50-75
65997-15-1	Portland cement	2.5-10
1305-62-0	calcium hydroxide	2.5-10

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
14808-60-7	GHS07-GHS08	H335-350-370	0
65997-15-1	GHS05-GHS07	H315-317-318-335	0
1305-62-0	GHS05-GHS07	H314-335	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First Aid Measures

General Notes: No Information
After Inhalation: Move to fresh air. Consult a physician after significant exposure.
After Skin Contact: Use a mild soap if available. Wash off with soap and plenty of water.
After Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses. If eye irritation persists, consult a specialist.
After Ingestion: Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.

Self-Protection of the First Aider: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Most important symptoms and effects, both acute and delayed: Harmful by inhalation.
Indication of any immediate medical attention and special treatment needed: No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-Fighting Measures

Suitable (and unsuitable) extinguishing media: Carbon Dioxide, Dry Chemical, Foam, Water Fog
Unsuitable extinguishing media: Alcohol, Alcohol based solutions, any other media not listed above.

Specific hazards arising from the chemical: No Information
Special protective equipment and precautions for fire-fighters: None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. Water spray/Dry powder/Alcohol-resistant foam/Carbon dioxide (CO2)/High volume water jet. None.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:	Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.
Environmental precautions:	No Information
Methods for Containment and Clean Up:	Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water.
Reference to other sections	Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information

7. Handling and Storage

Precautions for safe handling:	Instructions for Safe Handling: Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from moisture. Protection and Hygiene Measures: Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.
Conditions for safe storage, including any incompatibilities:	Conditions to Avoid: No Information Storage Conditions: Keep tightly closed in a dry and cool place.
Specific end use(s):	No specific advice for end use available.

8. Exposure Controls & Personal Protection

Ingredients with Occupational Exposure Limits

Name	CAS-No.	OSHAPEL	ACGIH TLV
quartz (silicon dioxide)	14808-60-7	50 μ g/m ³	0.025 mg/m ³
Portland cement	65997-15-1	10.0 MG/M ³	10.0 MG/M ³
Calcium hydroxide	1305-62-0	5. MG/M ³	5. MG/M ³

Further Information: Refer to the regulatory exposure limits for the workforce enforced in each country.

Exposure Controls:

Personal Protection

Respiratory Protection:	Effective dust mask
Eye Protection:	Safety glasses with side shields
Hand Protection:	Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.
Other Protective Equipment:	No Information
Engineering Controls:	Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

Appearance:	Granules / powder mix
Physical State:	Solid
Odor:	None
Odor Threshold:	Not determined
pH:	11-14
Melting point / freezing point (°C):	Not Determined
Boiling point/range (°C):	N.D. - N.D.
Flash Point, (°F / °C):	N/A
Evaporation rate:	N/A
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	999- 0
Vapor Pressure:	N/A
Vapor density:	N/A

Relative density:	Not Determined
Solubility in / Miscibility with water:	Slight
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature (°C):	Not determined
Decomposition temperature (°C):	Not determined
Viscosity:	N/A
Explosive properties:	N/A
Oxidizing properties:	N/A
Other Information:	
VOC Content: g/l:	0
Density (lbs/gal):	N/A

10. Stability and Reactivity

Reactivity:	No reactivity hazards known under normal storage and use conditions.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	No Information
Incompatible materials:	Do not store near acids. Strong oxidizing agents.
Hazardous decomposition products:	No hazardous decomposition products are known. Hydrogen fluoride

11. Toxicological Information

Acute Toxicity:	
Oral LD50:	No Information Available
Inhalation LC50:	No Information Available
Irritation:	Cement and hydrated lime powder, especially in a water mix, may cause irritant contact dermatitis and/or burns.
Corrosivity:	No Information Available
Sensitization:	No Information Available
Repeated dose toxicity:	No Information Available
Carcinogenicity:	No Information Available
Mutagenicity:	No Information Available
Toxicity for reproduction:	No Information Available

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
1305-62-0	calcium hydroxide	7340 mg/kr, oral, rat		

Additional Information: This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

12. Ecological Information

Toxicity:	
EC50 48hr (Daphnia):	Not available
IC50 72 hr (Algae):	Not available
LC50 (Fish):	Not available
Persistence and Degradability:	Mostly non-biodegradable. The hydrated lime will react with atmospheric and dissolved carbon dioxide to form calcium carbonate (e.g. chalk).
Bioaccumulative Potential:	Not available
Mobility in Soil:	The product is not volatile and insoluble in water, will accumulate in the ground.
Results of PBT and vPvB Assessment:	The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Other Adverse Effects: The addition of cement and hydrated lime to water will raise pH and may therefore be toxic to aquatic life in some circumstances.

CAS-No.	Chemical Name	EC50 48hr	IC50 72hr	LC50 96hr
14808-60-7	quartz (silicon dioxide)	No information	No information	
65997-15-1	Portland cement	No information	No information	
1305-62-0	Calcium hydroxide	No information	No information	

13. Disposal Considerations

Waste from residues/unused products: Disposal of container and unused contents in accordance with Federal, State and Local Regulations

Contaminated packaging: Disposal of container and unused contents in accordance with Federal, State and Local Regulations

14. Transport Information

UN Number: Not applicable
UN Proper Shipping Name: Not regulated for transport according to DOT, IMDG, and IATA regulations
Technical name: Not applicable
Transport hazard class(es): Not applicable
Subsidiary shipping hazard: Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: Not applicable
EmS-No.: Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: Not applicable

15. Regulatory Information

CERCLA – Sara Hazard Category: This product has been reviewed according to the EPA ‘Hazard Categories’ promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Carcinogenicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Specific target organ toxicity (single or repeated exposure)

Sara Section 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

Toxic Substances Control Act: This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:
 No TSCA 12(b) components exist in this product.

US Clean Air Act:

EPA Coating Category: N/A
 EPA VOC Content Limit (g/l): N/A
 Product VOC Content (g/l): N/A
 Thinning Recommendations: N/A
 Application Recommendations: For professional use only.

As per the federal EPA definition for coating categories in 40 CFR 59.401.
 Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.



New Jersey Right to Know:

The following materials are non-hazardous, but are among the top five components in this product.

<u>Chemical Name</u>	<u>CAS-No.</u>
No Chemical Name Found	

Pennsylvania Right to Know:

The following non-hazardous ingredients are present in the product at greater than 3%.

<u>Chemical Name</u>	<u>CAS-No.</u>
No Chemical Name Found	

California Proposition 65:

WARNING: Cancer - www.P65Warnings.ca.gov

Canadian DSL:

All chemical ingredients included on inventory or exempt.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H350	May cause cancer.
H370	Causes damage to organs.

Revision Date: November 22, 2019

THE INFORMATION HEREIN RELATES TO THE PRODUCT NAMED AND IS BASED UPON INFORMATION CORROSHIELD INDUSTRIES INC. CONSIDERS TO BE ACCURATE. NO WARRANTY EXPRESSED OR IMPLIED IS INTENDED.